

OAKS COLLECTION

— TIMELESS BEAUTY FOR EVERY SPACE

NATURAL • VERSATILE • ELEGANT • DURABLE

SAND OAK

WARM • VERSATILE • TIMELESS



DUNE OAK

RICH • ELEGANT • CONTEMPORARY



CANYON OAK

NATURAL • BRIGHT • MODERN



2026 OAKS COLLECTION

2026 OAKS COLLECTION

CANYON OAK

OAKS COLLECTION

NATURAL • BRIGHT • MODERN

NUDE



Total
Thickness
4.5 mm



Wear Layer
18 mil



Plank Size
9" x 48"
(229 x 1219 mm)



Coverage
per Box
30 sqft



Pieces
per Box
10 pcs



Boxes
per Pallet
60 boxes
(1,800 sqft)

2026 OAKS COLLECTION

DUNE OAK

OAKS COLLECTION

RICH • ELEGANT • CONTEMPORARY



Total
Thickness
4.5 mm



Wear Layer
18 mil



Plank Size
9" x 48"
(229 x 1219 mm)



Coverage
per Box
30 sqft



Pieces
per Box
10 pcs



Boxes
per Pallet
60 boxes
(1,800 sqft)

2026 OAKS COLLECTION

SAND OAK

OAKS COLLECTION

WARM • VERSATILE • TIMELESS

NUDE



Total
Thickness
4.5 mm



Wear Layer
18 mil



Plank Size
9" x 48"
(229 x 1219 mm)



Coverage
per Box
30 sqft



Pieces
per Box
10 pcs



Boxes
per Pallet
60 boxes
(1,800 sqft)

2026 OAKS COLLECTION



CANYON OAK

NATURAL • BRIGHT • MODERN



SAND OAK

WARM • VERSATILE • TIMELESS



DUNE OAK

RICH • ELEGANT • CONTEMPORARY

Total Thickness	Wear Layer	Plank Size	Coverage per Box	Pieces per Box	Boxes per Pallet
4.5 mm	18 mil	9" x 48" (229 x 1219 mm)	30 sqft	10 pcs	60 boxes (1,800 sqft)

Total Thickness	Wear Layer	Plank Size	Coverage per Box	Pieces per Box	Boxes per Pallet
4.5 mm	18 mil	9" x 48" (229 x 1219 mm)	30 sqft	10 pcs	60 boxes (1,800 sqft)

Total Thickness	Wear Layer	Plank Size	Coverage per Box	Pieces per Box	Boxes per Pallet
4.5 mm	18 mil	9" x 48" (229 x 1219 mm)	30 sqft	10 pcs	60 boxes (1,800 sqft)

OAKS COLLECTION
TIMELESS BEAUTY FOR EVERY SPACE
NATURAL • VERSATILE • ELEGANT • DURABLE

SAND OAK
WARM • VERSATILE • TIMELESS

DUNE OAK
RICH • ELEGANT • CONTEMPORARY

CANYON OAK
NATURAL • BRIGHT • MODERN

Total Thickness	Wear Layer	Plank Size	Coverage per Box	Pieces per Box	Boxes per Pallet
4.5 mm	18 mil	9" x 48" (229 x 1219 mm)	30 sqft	10 pcs	60 boxes (1,800 sqft)

PET FRIENDLY WATER RESISTANT SCRATCH RESISTANT EASY TO CLEAN RESIDENTIAL & COMMERCIAL

CONSTRUCTION & CLICK-LOCK SYSTEM

iPC LOCK


Designed with a key locking system for the installation of these types of floors, facilitating the process without the need to glue the planks, which are designed with edges that can be interlocked and locked together during installation, using a tongue and groove mechanism that allows them to fit securely and firmly. Some advantages of the SPC Lock system in SPC flooring are: Easy installation, Simple disassembly, stability, and Reduced installation time.

CENTRAL LAYER

This layer is composed of high-density fiberboards such as calcium powder and PVC.

UV CURING

This UV coating acts as a protective layer, helping to prevent premature abrasion of SPC flooring, such as discoloration and damage caused by exposure to sunlight and other environmental elements.



DECORATIVE LAYER

This layer is responsible for the visual appearance of SPC flooring and can simulate the appearance of natural materials such as wood or stone, or present specific patterns and designs like carpets.

WEAR LAYER

The top layer is designed to resist wear caused by daily use, friction, and other factors. In SPC flooring, the abrasion resistance layer, called the 'wear layer,' is the transparent and resistant layer applied over the decorative layer.

BOTTOM LAYER (UNDERLAYMENT)

Made from premium EVA foam, this integrated underlayment provides enhanced walking comfort and sound absorption, reduces impact noise, and helps smooth out minor subfloor imperfections. It also acts as a moisture-resistant barrier, protects the locking system from stress, and improves the